

Message

---

**From:** Minter, Douglas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0C1A47CA3AE847E2B7B818DA4734D7FD-MINTER, DOUGLAS]  
**Sent:** 9/19/2016 11:52:25 PM  
**To:** Shea, Valois [Shea.Valois@epa.gov]  
**Subject:** RE: Here is what I have for Qs and As on FR for DB...

thanks

---

**From:** Shea, Valois  
**Sent:** Monday, September 19, 2016 5:46 PM  
**To:** Minter, Douglas <Minter.Douglas@epa.gov>  
**Subject:** RE: Here is what I have for Qs and As on FR for DB...

## Ex. 5 Deliberative Process (DP)

Thanks!

*Valois*

---

Valois Shea  
U.S. EPA Region 8  
MailCode: 8P-W-UIC  
1595 Wynkoop Street  
Denver, CO 80202-1129  
Phone: (303) 312-6276  
Fax: (303) 312-6741  
Email: [shea.valois@epa.gov](mailto:shea.valois@epa.gov)

---

**From:** Minter, Douglas  
**Sent:** Monday, September 19, 2016 5:13 PM  
**To:** Shea, Valois <[Shea.Valois@epa.gov](mailto:Shea.Valois@epa.gov)>  
**Subject:** Here is what I have for Qs and As on FR for DB...

## Ex. 5 Deliberative Process (DP)

Douglas K. Minter

Chief  
Underground Injection Control Unit  
USEPA Region 8  
(303) 312-6079

*"Practice Public Servant Leadership"*